

bryce.bonzo@gmail.com | [My Account](#) | [Sign out](#)[Web](#) [Images](#) [Video](#) ^{New!} [News](#) [Maps](#) [more »](#)

OCAP error handling cable

[Advanced Search](#)
[Preferences](#)**Web**Results 1 - 10 of about 497 for **OCAP error handling cable**. (0.35 seconds)**[PDF] Java4iTV_workshop_5Day_p1_060615**File Format: PDF/Adobe Acrobat - [View as HTML](#)**OCAP** and OpenCable are trademarks of **Cable** Television Laboratories, Inc. ... Introduces exception **handling**, including: • **Handling** exceptions ...www.vidiom.com/pdfs/OCAP%20for%20iTV%20Developers.pdf - [Similar pages](#)**Flexible digital cable network architecture - Patent 7058964**A digital **cable** network architecture and services method includes a **cable** medium ... resource conflict, event **handling**, **error handling** and system functions. ...www.freepatentsonline.com/7058964.html - 63k - [Cached](#) - [Similar pages](#)**System and method for reducing fraud in a digital cable network ...****OCAP™** also specifies a mechanism for platform validation, which detects ... resource conflict, event **handling**, **error handling** and system functions. ...www.freepatentsonline.com/6993132.html - 60k - [Cached](#) - [Similar pages](#)**CableLabs® Conducts Advanced Testing on Digital Ad Insertion****Error Handling** of several severe failure modes; Rigorous splice time accuracy ... Founded in 1988 by members of the **cable** television industry, **Cable** ...www.cablelabs.com/news/pr/2002/2002_05_06.html - 15k - [Cached](#) - [Similar pages](#)**A sneak peek at cable's battle plan for the future - 5/1/2004 ...**Higher-end, "next-gen" boxes under NGNA will likely support DOCSIS 2.0 and a minimum of **OCAP** 1.0 middleware if the devices are capable of **handling** ...www.cedmagazine.com/article/CA412248.html - [Similar pages](#)**[PDF] Data-Over-Cable-Service-Interface Specifications Modular-CMTS Edge ...**File Format: PDF/Adobe Acrobat - [View as HTML](#)**OCAP™**, **M-CMTS™**, and **CableLabs. ®** are trademarks of **Cable** Television ... be set to "Capability Mismatch" (see the **DRRP error handling** Section 6.2.4). ...www.cablemodem.com/downloads/specs/CM-SP-ERMI-I02-051209.pdf - [Similar pages](#)**CE Industries Continue To Debate Interactive Cable - 1/30/2006 ...**"CE products are going to have **OCAP** and the customer wants **cable** and they can get that," added Dulchinos. "The question is, what's happening inside the TV? ...www.twice.com/article/CA6302918.html - [Similar pages](#)**Current and reliable Programming Tools news stories**Automated Test Environment performs **OCAP** pre-certification. ... software defects in **error handling** code by simulating errors and monitoring response innews.thomasnet.com/news/2693/160 - 58k - [Cached](#) - [Similar pages](#)**Builder.com: Handling Multiple Submits in PHP**Today at the National **Cable** & Telecommunications Association's National Show, ... (4) My comments on HTML **error handling** were largely misinterpreted. ...www.stargeek.com/item/181306.html - 70k - Supplemental Result - [Cached](#) - [Similar pages](#)**[PDF] MHP/OCAP iTV Applications in a Nutshell, TS-4255, JavaOne ...**File Format: PDF/Adobe Acrobat - [View as HTML](#)

Time-Warner **Cable**: New York City; Milwaukee;. Green Bay; Lincoln, NE; Waco, TX. •. FCC
mention a joint group on technical issues with. integrating **OCAP** in ...
developers.sun.com/learning/javaonline/2006/mobility/TS-4255.pdf - [Similar pages](#)

Goooooooooooooogle ►

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

OCAP error handling cable

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

bryce.bonzo@gmail.com | [My Account](#) | [Sign out](#)[Web](#) [Images](#) [Video](#) ^{New!} [News](#) [Maps](#) [more »](#)

OCAP error cable

[Advanced Search](#)
[Preferences](#)**Web**Results 1 - 10 of about 9,870 for **OCAP error cable**. (0.19 seconds)**Top US Cable Operators Form Java Community Process Expert Group**

In the future, most set-top boxes and digital **cable**-ready televisions will be built to the **OCAP** specification to allow the **cable** industry to deploy a wider ...

www.embeddedstar.com/press/content/2004/5/embedded14412.html - 17k -

[Cached](#) - [Similar pages](#)

Concurrent Demonstrates OCAP VOD System with Advanced Digital ...

Within the digital **cable** market, Concurrent is a recognized leader, currently serving nine major ... [an **error** occurred while processing this directive] ...

www.embeddedstar.com/press/content/2003/12/embedded11733.html - 17k -

[Cached](#) - [Similar pages](#)

[PDF] iTV Stream Analyzer iTV Stream Analyzer - DVi700(MHP)/ATi700(ACAP ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

iTV Stream Analyzer – MHP/ACAP/**OCAP** is the enhanced industry leading ... DVi700 (MHP)/ATi700(ACAP)/OPi700(**OCAP**) ... **Error Free Cable** Length: 100M (max) ...

[www.dtvinteractive.com/upimg/dvi700-ati700-opi700-eng\(1\).pdf](http://www.dtvinteractive.com/upimg/dvi700-ati700-opi700-eng(1).pdf) - [Similar pages](#)

[PDF] iTV Stream Station (MHP/OCAP/ACAP) iTV Stream Station (MHP/OCAP ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

iTV Stream Station – MHP/ACAP/**OCAP** is a portable test head-end for Data Broadcasting.

With iTV ... **Error Free Cable** Length: 100M (max) ...

www.dtvinteractive.com/upimg/itg300-eng.pdf - [Similar pages](#)

The Cable Center

It can be specified as a bit **error** rate (the probability of **error** per bit ... The portion of **OCAP** which will provide a full programming environment for ...

www.cablecenter.org/education/library/glossaryE.cfm - 54k - [Cached](#) - [Similar pages](#)

[PDF] OpenWorks Distributor

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Local Distributor provides management of **OCAP** download operations and other. site-specific functions within **cable** network. The Local Distributor includes a ...

www.n2broadband.com/public/site/Primary/productdocs95/Openworks%20Distrib%20Apr06.pdf - [Similar pages](#)

Gaming's Becoming a Big Deal - 7/1/2006 - CED - CA6348439

As of today, only one major operator has deployed a significant number of **OCAP**-enabled boxes. In short, **cable** operators are interested in providing games ...

www.cedmagazine.com/article/CA6348439.html - [Similar pages](#)

[PPT] DOCSIS Overview (PowerPoint Slideshow)

File Format: Microsoft Powerpoint - [View as HTML](#)

More CMs per port, high scalability – DOCSIS 2.0 adds even more capacity; Heart of **Cable** TV Headends of the future. **OCAP** Hardware Platform ...

www.cablemodem.com/downloads/slideshow.ppt - [Similar pages](#)

HDTV Magazine Articles: 2005 HDTV Report, Part 4: Satellite, Cable ...

Under the terms, there will be an implementation of bi-directional **OCAP** software on **Cable**

tuners, with a middle-ware specification designed with a universal ...
www.hdtvmagazine.com/articles/2005/10/2005_hdtv_repor_2.php - 38k -
[Cached](#) - [Similar pages](#)

Flexible digital **cable** network architecture - Patent 7058964

A digital **cable** network architecture and services method includes a **cable** medium and ...
OCAP.TM. also specifies a mechanism for detecting fraudulent and/or ...
www.freepatentsonline.com/7058964.html - 63k - [Cached](#) - [Similar pages](#)

Goooooooooooooogle ►

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

Get the search results most relevant to you. [Enable Personalized Search](#).

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|--------|---|---|------------------|---------|------------------|
| S1 | 2666 | (714/48,25).CCLS. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/30 11:15 |
| S2 | 188030 | (event or error or alert) with (notif\$7 or alert\$4 or warning\$4 or messag\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/30 12:39 |
| S3 | 177653 | S2 and "2" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/03 14:20 |
| S4 | 2666 | (714/48,25).CCLS. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/03 14:20 |
| S5 | 704 | S2 and S4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/03 14:20 |
| S6 | 28 | ((("3,999,051") or ("4,339,657") or ("4, 604,751") or ("5,121,475") or ("5,155, 731") or ("5,245,615") or ("5,463, 768") or ("5,790,779") or ("5,862, 316") or ("6,381,710") or ("6,505, 298") or ("6,532,552") or ("6,750, 879"))).PN. or ((2001/0007138) or (2002/0083214) or (2002/0144193) or (2003/0041291) or (2003/0056155) or (2003/0105995) or (2003/0140285) or (2004/0186603) or (2004/0205339) or (2004/0261116) or (2005/0021766) or (2005/0027851)).CCLS. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/19 12:50 |
| S7 | 272 | address adj collision | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/28 16:43 |
| S8 | 2327 | hybrid adj fiber adj coax | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/28 16:44 |

EAST Search History

| | | | | | | |
|-----|--------|---|---|----|-----|------------------|
| S9 | 119 | OCAP | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/28 16:44 |
| S10 | 2327 | S8 and S8 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/28 16:44 |
| S11 | 17 | S8 and S9 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/28 16:44 |
| S12 | 14 | CPE and OCAP | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/30 11:17 |
| S13 | 290769 | (remote with (control\$4 or manag\$6)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/30 11:24 |
| S14 | 162779 | (clos\$5 or kill\$4 or destr\$8) with (program or application or routine or software) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/30 11:25 |
| S15 | 1015 | S13 same S14 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/30 11:30 |
| S16 | 11074 | CPE | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/30 11:25 |
| S17 | 4 | S15 and S16 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/30 11:28 |
| S18 | 119 | ocap | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/30 11:28 |

EAST Search History

| | | | | | | |
|-----|---------|---|---|----|-----|------------------|
| S19 | 1 | S15 and S18 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/30 11:28 |
| S20 | 20153 | (set-top adj box) or (cable adj box) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/30 11:30 |
| S21 | 80 | S15 and S20 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/30 11:30 |
| S22 | 215 | (714/27).CCLS. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/30 12:36 |
| S23 | 0 | S22 and S15 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/30 12:37 |
| S24 | 4 | S22 and S14 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/30 12:37 |
| S25 | 17829 | remote adj monitor\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/30 12:37 |
| S26 | 3921914 | (fault or error or problem) with (handl\$4 or correct\$4 or solv\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/30 12:38 |
| S27 | 193078 | (event or error or alert) with (notif\$7 or alert\$4 or warning\$4 or messag\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/30 12:39 |
| S28 | 49482 | S26 and S27 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/30 12:39 |

EAST Search History

| | | | | | | |
|-----|--------|-------------|---|----|----|------------------|
| S29 | 5926 | S14 and S28 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/30 12:40 |
| S30 | 39432 | "714"/\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/30 12:40 |
| S31 | 381 | S29 and S30 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/30 15:19 |
| S32 | 933751 | cable | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/30 12:41 |
| S33 | 166 | S31 and S32 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/30 12:42 |
| S34 | 9 | S31 and S20 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/30 12:42 |
| S35 | 4 | 10/722206 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/30 15:19 |